

1146 N Central Avenue #535 Glendale, California 91202 Phone: 818-763-2021 Fax: 818-291-9495 WWW.AAGAUCTION.COM

2 DAY PUBLIC AUCTION

Auction Date:

TUESDAY DECEMBER 8, 2020 @ 10:30 a.m. WEDNESDAY DECEMBER 9, 2020 @ 10:30 a.m. PST **AUCTION LOCATIONS:**

12521 LOS NIETOS, SANTA FE SPRINGS, CA

MAJOR METAL FABRICATION & WIRE FORMING FACILITY

Preview: Mornings of sale from 8:00am to 10:30 a.m. "On-line bidding thru bidspotter.com".

COVID-19 REGULATION AND REQUIREMENTS:

1) DO NOT VISIT AUCTION SITE IF YOU HAVE FEVER, SHORTNESS OF BREATH, COUGH, NASAL CONGESTIONS. RUNNY NOSE, SORE THROAT, NASUEA, VOMITING AND / OR DIARRHEA.

2) ALL VISITORS, CUSTOMERS, MACHINERY MOVERS, TRUCKERS, SUB CONTRACTORS MUST WEAR A MASK BEFORE ENTERING AUCTION FACILITY.

3) ALL VISITORS MUST FOLLOW SOCIAL DISTANCING OF 2 METRES (6 FT-6 IN)

WHEN VISITING AUCTION FACILITY. ONE GROUP AT A TIME WILL BE ALLOWED IN THE FACILITY FOR PREVIEW

WIRE FOMING **FABRICATION**

First-Class Mail U.S. Postage **PAID**

STA CLARITA, CA Permit No. 298

100,000 SQ FT MFG OF METAL PRODUCTS

Amada LGC3015 CNC Laser Contour Cutting Machine w/ AMNC PC Controls w/ Flying Bridge



Cincinnati 135CB-10 135 Ton x 10' CNC Hydraulic Press Schlatter Leistundsschlater 60" CNC Mesh Welder Brake w/ Autobend 5C Controls







WIRE FORMING & CUTTING DEPARTMENT



Schlatter Leistundsschlater 60" CNC Mesh Welder



Patterson 8A-COM Wire Straightening / Cutting Machine



Lebow 4-S-A 4-Head Pneumatic Frame Wire Bender



Lubow Rotary Table Benders

Wire Machines : Patterson 8A-COM Wire Straightening / Cutting Machine

s/n M-9067-76.

Patterson 2A-S/U-COM Wire Straightening / Cutting Machine s/n M-9135-82.

Lebow 4-S-A 4-Head Pneumatic Frame Wire Bender w/ Digital Controls. Lubow R-R-1.5 Wire Roll Former s/n 061576 w/ 1 ½" Rolls.

(2) 2-Head Pneumatic Wire Benders.

Custom Pneumatic Wire Benders.

Lubow ML-10T Pneumatic Rotary Table Bender s/n 0776.

Custom Pneumatic Rotary Table Benders w/ Tooling.

Power Nipping Shear w/ 1 1/2" Nipping Blade.

Custom Wire Threading Machine w/ Delta Drill Head, Procunier

Tapping Head w/ Die Holder, Pneumatic

Feed and Clamping.

Welding:

(4) Miller Dynasty 400 Arc Welding Power Sources w/ Cooler Base, Cart. Lincoln Aspect 375 Arc Welding Power Source w/ Coolarc 47 Cooling Unit, Cart.

(3) Miller CP-302 CV-DC Arc Welding Power Sources w/ Miller 22A Wire Feeders.

(2) Miller CP-300 CV-DC Arc Welding Power Sources w/ Miller S-54E Wire Feeders.

Miller Syncrowave 250DX Arc welding Power Source w/ Cooler Cart.

(7) Miller Syncrowave 250 CC-AC/DC Arc Welding Power Sources w/ Cart.

(2) Miller Millermatic 250 CP-DC Arc Welding Power Source and Wire Feeder.

Miller CP-200 CV-DC Arc Welding Power Source

w/ Miller S-54E Wire Feeder.

Miller Millermatic 35 Arc Welding Power Source.

Miller Spectrum 2050 Plasma Cutting Power Source s/n LE170043P.

60" 4-Head Mesh Welder.

Acme B-01-20 20kVA Butt Welder s/n 10697 w/ Robotron Controls.

Acme B-01-20 20kVA Butt Welder s/n 12140 w/ Acme Controls.

Lubow BW-50 Butt Welder w/ Robotron Controls.

Landis End-Cap Butt Welder.

Agnew type SA Spot Welder w/ Custom Rod Clamping Head.

Acme PT3P-18-200 200kVA Projection Welder w/ Robotron Controls, $9" \times 11"$ Mounting Base.

(2) Acme PT2P-18-150 150kVA Projection Welders w/ Robotron Controls, 8" x 8" Mounting Base.

(2) Acme PT1P-18-100 100kVA Projection Welders w/ Robotron Controls, 6 ½" x 6 ½" Mounting Base.

Acme PT1P-12-75 75kVA Projection Press s/n 12186 w/ Robotron Controls, 6 ½" x 6 ½" Mounting Base.

Acme PT1S-24-75 75kVA Spot Welder s/n 9135 w/ Weldtronic Controls, 34" Throat.

Taylor Winfield ERB-12-150AIR 150kVA Spot Welder s/n 47128.

(2) Acme 3-12-75 75kVA Spot Welders s/n 5815 w/ 36" Throat.

Lors 120FR 20kVA Spot welder ns/n 2792436 w/ 27" throat.

Acme 1-24-20 20kVA Spot Welder s/n 8777 w/ 22" throat.

Seedorf mdl. 3620 20kVA Spot Welder s/n 886 w/ 36" Throat. Welding Torch Cart w/ Acces.

(3) 48" x 96" Welding Table.

(4) 48" x 80" Welding Tables.

METAL FABRICATION & MACHINING



Pacific J55-6 55 Ton x 6' Hydraulic



Wysong mdl. B-60 60" Power Roll



Doringer D350 Miter Cold Saw



Milling Department



2017 Kaeser SX7.5 7.5Hp Rotary Air Compressor



2016 Kaeser SFC37 50Hp Rotary Air Compressor

Fabrication:

Cincinnati 135CB-10 135 Ton x 10' CNC Hydraulic Press Brake s/n 40622 w/ Hurco Autobend 5C Controls, Cincinnati Stroke Controls, 8" Stroke, 7 ¼" Throat, 12' Bed Length, Protech Light

Pacific J7S-10 10GA x 8'4" CNC Hydraulic Press Brake s/n 6551 w/ Hurco Autobend
7 Controls, 6 3/8"throat, 10' Bed Length, 102 ½" Between Uprights, Protech Light Curtain.
Pacific J110-8 73 Ton x 8' CNC Hydraulic Press Brake s/n A772 w/ Hurco Autobend
7 Controls, 7 1/8"throat, 8' Bed Length, 78" Between Uprights, Protech Light Curtain.
(2) Pacific J55-6 55 Ton x 6' Hydraulic Press Brakes s/n's 8627, 6637.
(2) Pacific J40-6 40 Ton x 6' Hydraulic Press Brakes s/n's 9332, 0304 w/ Back Gage, 6 3/8" throat,
Protech Light Curtain

(2) Pacific J59-6 55 1on x 6 Hydraulic Press Brakes s/ns 8627, 6637.
(2) Pacific J40-6 40 Ton x 6' Hydraulic Press Brakes s/ns' 9332, 0304 w/ Back Gage, 6 3/8" throat, Protech Light Curtain.

Wysong 55-6 55 Ton x 6' Press Brake s/n PB60-101 w/ Dial Back Gage, 3" Stroke, 3" Slide Adj., 12" Die Space, 8 ½" Throat, Protech Light Curtain.
(2) Wysong 3572 35 Ton x 6" Press Brakes s/ns' PB59-133, PB59-126 w/ Dial Back Gage, 2" Stroke, 3" Slide Adj., 9" Die Space Protech Light Curtain.
(2) Cincinnati mdl. 135 15 Ton x 48" Press Brakes s/ns' L-16236, L-14824 w/ Manual Back Gage, 6 1/8" Throat, 31" Between Uprights, Protech Light Curtain.
Richards 6" Horizontal Press Brake.
Lubow 66" Pneumatic Bender.
Pexto 10-U-10B 10Ga x 10' Power Shear s/n 694400 w/ Dial Back Gage, Front Supports.
Pexto 1018 18GA x 10' Power Shear s/n 760009 w/ Power Back Gage, Front Supports.
Wysong 1272 12GA x 6' Power Shear.
49" and 40" Power Shears.
Amada CS-220 8 5/8" x 8 5/8" Power Corner Notcher s/n 544313 w/ 1/8" Cap, Fence System.
Strippit Super 30/30 30 Ton Duplicator Punch Press s/n 1667122378.
Buffalo No. 2VBR Roll Former s/n 6610-5445 w/ 7" Roll Tooling.
Wysong mdl. B-60 60" Power Roll s/n PR18-123 w/ 4" Rolls.
Custom 21" Power Roll w/ 1 ½" Rolls.
Pines M-60030 Hydraulic Pipe Bender s/n 44350-68275 w/ Dial-A-Bend Digital Controls,
1 ¼" Bending Dies.
Teledyne Pines mdl. 44580 NC Hydraulic Pipe Bender s/n 44361-84077.
Muha mdl. BE size 10 Iron Worker w/ 1 1/16" P. 1 13/32" Sa Bar Shear 2" x ½" Angle Shear

Taledyne Pines mdl. 44580 NC Hydraulic Pipe Bender s/n 44361-84077.

Mubea mdl. BF size 10 Iron Worker w/ 1 1/16" R – 1 3/32" Sq Bar Shear, 2" x ¼" Angle Shear, 2" x 1" x 3/16" Channel Shear, 4" x ½" – 6" x ¼" Flat Shear, Punch 19/32" Thru 13/32".

Pneumatic Universal Bender.

Pneumatic Universal Bender.
(5) DiAcro Universal Benders.
Walsch No. 38 OBI Stamping Press w/ 14" x 26" Bolster.
Press Rite No. 2 OBI Stamping Press w/ 12 ½" x 18" Bolster.
(2) Rousselle OBI Stamping Presses w/ 8" x 13" Bolster.
Benchmaster OBI Stamping Press w/ 8 ½" x 11" Bolster.
C-Frame Stamping Press w/ 18" Throat, 8" x 12" Bolster.
(2) Bliss OBI Stamping Presses w/ 12" x 15" Bolster.
(3) Toledo Shoe Horn Presses.
Roper Whitney Pexto mdl. 622LR Bead Roller.

Mills and Lathe :

Bridgeport Series 1 – 2Hp Vertical Mill w/ UNIQ SDS6-2V Programmable DRO, 60-4200 Dial Change RPM, Chrome Ways, Power Feed, 9" x 48" Table.Lagun Vertical Mill w/ UNIQ SDS6-3V Programmable DRO, Dial Change RPM, Chrome Ways, Power Feed, 10" x 50" Table. Bridgeport Vertical Mill s/n 211784 w/ 2Hp Motor, 60-4200 Dial RPM, Power Feed, 9" x 42" Table. Bridgeport Vertical Mill s/n 175549 w/ 1.5Hp Motor, 60-4200 Dial RPM, Power Feed, 9" x 42" Table.

Bridgeport Vertical Mill s/n 151936 w. 1Hp Motor, 80-2720 RPM, Power Feed, 9" x 42" Table. Index Vertical Mill w/ 120-2700 RPM, 9 ½" x 39" Table. Merit 16" x 45" Geared Head Lathe s/n 48752 w/ 30-1800 RPM, Inch Threading, Tailstock, Steady Rest, 8" 3-Jaw Chuck, KDK Tool Post, 5C Speed Chuck.

METAL FABRICATION DEPARTMENT



Pexto 1018 18GA x 10' Power Shear



Pexto 10-U-10B 10Ga x 10' Power Shear





Press Brake Department



Pines M-60030 Hydraulic Pipe Bender w/ Dial-A-Bend Digital Controls



Buffalo No. 2VBR Roll Former



Strippit Super 30/30 30 Ton Duplicator Press

FORKLIFTS AND PAINTING DEPARTMENT



Linde E20 3750 Lb Cap Electric Forklifts



Hyster and TCM Forklifts



Linde E20 3750 Lb



Industrial Press Equipment 9' x 12' Natural Gas Batch Oven & Spray Booth



Industrial Powder Coating Spray Booth



Wagner EPG-Sprint X Powder Paint Spray Systems

Paint:

Hadustrial Press Equipment 9' x 12' 880,000 BTU Natural Gas Fired Batch Oven w/ Digital Controllers.

Gema Volstatic Powder Paint Spray Booth w/ Cyclone Style Dust Collection System, Pass Thru Conveyor Line.(2) Wagner EPG-Sprint X Powder Paint Spray Systems w/ Controllers and Guns.

Gema Volstatic PGC1 Powder Paint Spray System w/ Controller and Gun.

Gema OptiFlex Powder Paint Spray System w/ Controller and Gun. Large Quantity of Cardinal, TCI, Caleste and Akzo Nobel Powder Paints.

Tooling:
Large Selection of Press Brake Dies w/ Racks.
(3) Wilton 8-Drawer Tooling Cabinets w/ Punch Tooling. Strippit Punch Tooling w/ Cabinet.
(5) Kurt 6" Angle-Lock Vises.
6" Machine Vises.
(3) Yuasa 5" Pedestal Vises.

(60) R8 Tooling and Collets. Radius/Angle Dresser. 5C Spin Fixture.



Wire Material

Material Handling:

Hyster 60 6000 Lb Cap LPG Forklift s/n A177B22243H w/ 3-Stage Mast, 177" Lift Height, Side Shift, SolidYard Tires.

TCM FGC30F9 5150 Lb Cap LPG Forklift s/n A12Y01706 w/ 3-Stage Mast, 189" Lift Height, Side Shift, Solid Tires, 8610 Hours.

TCM FGC25F9T 5000 Lb Cap LPG Forklift s/n A12W01753 w/ 20Stage Mast, 130" Lift Height, Solid Tires.

Mast, 130" Lift Height, Solid Tires

(4) Linde E20 3750 Lb Cap Electric Forklifts s/n's A1X346C00403,

A1X346C00361, A1X346C00360,

A1X346C00353 w/ 2-Stage Mast, 168" Lift Height, Side Shift, Solid Tires, 2 Yead Old Batteries, 24Volt(2) 20' Storage Containers w/ Roll-Up Doors. 10' Storage Container.

WELDING DEPARTMENT



Miller Dynasty 400 Arc Welders **3-AVAILABLE**






Miller Syncrowave Tig CC-AC/DC Arc Welders







Sciaky Projection Welder

Acme 150kVA Projection Welder

Projection Welding and Spot Welding Tooling

Welding:

- (3) Miller Dynasty 400 Arc Welding Power Sources w/ Cooler Base, Cart.
- (3) Miller CP-302 CV-DC Arc Welding Power Sources w/ Miller 22A Wire Feeders.
- (2) Miller CP-300 CV-DC Arc Welding Power Sources w/ Miller S-54E Wire Feeders.
- Miller Syncrowave 250DX Arc welding Power Source w/ Cooler Cart.
- (7) Miller Syncrowave 250 CC-AC/DC Arc Welding Power Sources w/ Cart.
- (2) Miller Millermatic 250 CP-DC Arc Welding Power Source and Wire Feeder.
- Miller CP-200 CV-DC Arc Welding Power Source w/ Miller S-54E Wire Feeder.
- Miller Millermatic 35 Arc Welding Power Source. Miller Spectrum 2050 Plasma Cutting Power Source
- 60" 4-Head Mesh Welder.

s/n LE170043P.

- Acme B-01-20 20kVA Butt Welder s/n 10697 w/ Robotron Controls.
- Acme B-01-20 20kVA Butt Welder s/n 12140 w/ Acme Controls.
- Lubow BW-50 Butt Welder w/ Robotron Controls. Landis End-Cap Butt Welder.

- Welding: Acme PT3P-18-200 200kVA Projection Welder w/ Robotron Controls, 9" x 11" Mounting Base. (2) Acme PT2P-18-150 150kVA Projection Welders w/ Robotron Controls, 8" x 8" Mounting Base.
- (2) Acme PT1P-18-100 100kVA Projection Welders w/ Robotron Controls, 6 ½" x 6 ½" Mounting Base.
- Acme PT1P-12-75 75kVA Projection Press s/n 12186 w/ Robotron Controls, 6 ½" x 6 ½" Mounting Base.
- Acme PT1S-24-75 75kVA Spot Welder s/n 9135 w/ Weldtronic Controls, 34" Throat.
- Taylor Winfield ERB-12-150AIR 150kVA Spot Welder s/n 47128.
- (2) Acme 3-12-75 75kVA Spot Welders s/n 5815 w/ 36" Throat.
- Lors 120FR 20kVA Spot welder ns/n 2792436 w/ 27" throat.
- Acme 1-24-20 20kVA Spot Welder s/n 8777 w/ 22" throat.
- Seedorf mdl. 3620 20kVA Spot Welder s/n 886 w/36" Throat.
- Welding Torch Cart w/ Acces. (3) 48" x 96" Welding Table. (4) 48" x 80" Welding Tables.



Acme 100kVA Spot welder

CNC STAMPING & FORMING DEPARTMENT




Finn-Power type TP2520 IF2/21/AM 30 Ton CNC Turret Punch Press **2-AVAILABLE**



CNC Punch Tooling w/ Cabinets



Pacific J110-8 73 Ton x 8' CNC Hydraulic Press Brake w/ Hurco Autobend 7 Controls



Amada CS-220 Power Corner Notcher



Press Brake Tooling w/ Racks

CNC Laser:

8/2014 Amada LGC3015 CNC Laser Contour Cutting Machine s/n ALCG3016 w/ Amada AMNC PC Controls, T rue Flying Optic Laser System, Fanuc AF3500i-C 3.5kW Laser Package, Hand Wheel, 2-Pallet Shuttle System, 3070mm x 1550mm x 100mm (120" x 61" x 3.9") Max Processing Size, Donaldson Torit TG4 Dust Collection System s/n 4431260L1 with Delta P-Plus Controls,

Orion RKE15000A-VA-UU3 ChillerUnit.

CNC Turret Punch Presses:

1994 Finn-Power type TP2520 IF2/21/AM 30 Ton CNC Turret Punch Press s/n 7.7-252018594 w/ Siemens Sinumerik System 3 Controls, 21-Station Thin Turret, 102" x 129" Ball-Top Table, (2) 33" x 110" Secondary Ball-Top Support Tables, Slug Conveyor. 1994 Finn-Power type TP2020 IF2/21/AM 30 Ton CNC Turret Punch Press s/n 7.7-202025594 w/ Siemens Sinumerik System 3 Controls, 21-Station Thin Turret, 77" x 93" Ball-Top Table, (2) 34" x 94" Secondary Ball-Top Support Tables, Slug Conveyor.

2 DAY PUBLIC AUCTION

PARTIAL VIEW OF SHEET METAL & TUBING MATERIAL







ALL MACHINERY MOVERS MUST BE APPROVED BY THE SELLER PRIOR TO REMOVAL OF EQUIPMENT







ALL ITEMS ARE SOLD AS-IS / WHERE - IS NO GUARANTEES. OR WARRANTIES ARE APPLIED ALL ITEMS MUST BE PICKED UP BY



PARTIAL & ABBREVIATED TERMS AND CONDITIONS OF AUCTION

ALL TERMS AND CONDITIONS BEHIND THE BIDDERS CARD SUPPLIED WILL APPLY TO ALL AUCTION SALE ITEMS AND FOR ALL PRIVATE NEGOTIATIONS. BY PARTICIPATING AND BIDDING AT AUCTION YOU ARE LEGALLY BINDING A CONTRACT WITH THE AUCTION COMPANY.

ALL INVOICES MUST BE PAID WITHIN 24 HOURS FROM AUCTION DATE. IT IS PROHIBITED TO BID ON ANY ITEM THAT CANNOT BE PAID IN FULL WITHIN 24 HOURS FROM AUCTION DATE. PAYMENTS MUST BE CASHIERS CHECK, WIRE TRANSFER, OR LETTER OF GUARANTEE FROM BANK.

ALL ITEMS MUST BE REMOVED BY DECEMBER 22,2020, 3:00 PM (PST)

NO LOADING OR PICK UP ON SATURDAY AND SUNDAY.
NO LOADING BY AUCTIONEER OR SELLER.

BUYERS PREMIUM WILL BE15% AND 18% FOR ALL ONLINE BIDDING ON BIDSPOTTER COM

AUCTIONEERISNOTRESPONSIBLEFORMISIDENTIFICATIONOFANYEQUIPMENT OR ASSETS BEING SOLD AT AUCTION EITHER BY VERBAL OR WRITTEN. IT IS THE BUYER'S RESPONSIBILTY TO INSPECT THE GOODS AND ASCERTAIN IF THE SPECIFICATIONS.DESCRIPTIONS AND CONDITION OF THE GOODS CONFORM TO THE BUYER'S REQUIREMENT INCLUDING SERIAL NUMBERS.

BUYER ACKNOWLEDGES THAT THE EQUIPMENT OR ITEMS PURCHASED ONCE MAYHAVE CONTAINED, EXPOSED TO, AND OR UTILIZED HAZARDOUS MATERIAL. THERE MAY BE SURFACES ON ITEMS WHERE DECONTAMINATION CANNOT BE VALIDATED: ASSUCH, THEBUYER OR BIDDERACKNOWLEDGING THAT THEY ARE ACCEPTING THIS EQUIPMENT OR ITEMS IN AN "AS IS" CONDITION.

BUYERANDTHEIRASSOCIATESWILLHOLDAUCTIONEERAND'THESELLER"HARMLESS AGAINST ANY AND ALL CLAIMS AND ACTIONS ARISING OUT OF THE PARTICIPATION OF THE INDEMNITEE IN THE ACTIVITY, INCUDING, WITHOUT LIMITATION, EXPENSES, JUDGEMENTS, FINES, SETTLEMENTS AND OTHER AMOUNTS INCURRED IN CONNECTION WITHANY LIABLITY, SUIT, ACTION, LOSS, ORDAMAGE ARISING ORRESULTING FROM THE INDEMNITEE'S PARTICIPATION IN THE AUCTION.

ALL BIDDERS MUST ONLY USE APPROVED MACHINERY MOVERS BY SELLER WITH LIABILITYINSURANCEOF\$2.000.000 OR HIGHER.NOITEMS SHALL BEREMOVED UNLESS PAID IN FULL AND ALL ITEMS SHALL BE REMOVED IN THE TIME ALLOCATED BY THE **AUCTIONEER**

ALL SALES ARE FINAL, AND ALL ITEMS ARE SOLD AS IS WHERE IS, WITH ALL FAULTS AND

THERE ARE NO GUARANTEE OR WARRANTY TO ANY ITEMS SOLD (RE: MAKE, MODEL, YEAR, HOURS, MILES, OR MERCHANTABLITY BY AUCTIONEER OR SELLER). BUYERS RESPONSIBILITY TO INSURE PROPER USE FOR SAFETY.

ALL ITEMS ARE SOLD AS "PARTS ONLY"
BUYERACKNOWLEDGESTHATTHEGOODSAREPRE-OWNEDANDGOODSWERE EITHER BUYERACKNOWLEDGESTHATTHEGOODSAREPRE-OWNEDANDGOODSWERE EITHER DESIGNED NOR MANUFACTURED BY SELLER. SELLER HAS NO KNOWLEDGE OF OR CONTROL OVER THE PRIOR USE OR MISUSE OF THE GOODS OR ANY MODIFICATIONS TO THE GOODS FOLLOWING ORIGINAL MANUFACTURE. NEITHER DOES SELLER HAVE KNOWLEDGE OR CONTROL OVER THE APPLICATION OF THE GOODS BY BUYER. IT IS THE BUYER'S SOLE RESPONSIBILITY TO PROVIDE PROPER SAFETY DEVICES, EQUIPMENT AND INSTRUCTIONS FOR ANY PARTICULAR USE OR TAKE NECESSARY STEPS TO CONFORM THE GOODS AND OPERATION THEREOF TO ALL FEDERAL, STATE OR LOCAL GOVERNMENT SAFETY STANDARDS AND LAWS INCLUDING WITHOUT LIMITATION THE OCCUPATIONAL SAFETY AND HEALTH ACT OF "OSHA". ANNOUNCEMENTS MADE BY THE AUCTIONEER ON THE DAY OF THE AUCTION TAKE PRECEDENCE OVER ANY PREVIOUS AUCTIONEER ON THE DAY OF THE AUCTION TAKE PRECEDENCE OVER ANY PREVIOUS PRINTED MATERIAL PERTAINING TO THIS AUCTION. AUCTIONEER RESERVES THE RIGHT TO REMOVE OR ADD TO ANY AUCTION ITEMS ON THE LIST UNTIL AUCTION TIME.

LIVE WEBCAST ONLINE ONLY "NO ONSITE BIDDING TUESDAY DECEMBER 8, & WEDNESDAY DECEMBER 9, 2020 @ 10:30 a.m.